PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

	licant's or agent's file	reference	FOR FURTHER AC	CTION	See Form PCT/IPEA/416		
International application No. PCT/IB2005/000447		International filing date (22.02.2005	day/month/year)	Priority date (day/month/year) 27.02.2004			
	rnational Patent Class 9C73/16	sification (IPC) or n	ational classification and IF	PC			
• •	licant K S.R.L. et al.						
1.			eliminary examination re nsmitted to the applican		this International Preliminary Examining e 36.		
2.	This REPORT co	onsists of a total	of 5 sheets, including th	nis cover sheet.			
3.	This report is also accompanied by ANNEXES, comprising:						
	a. 🛮 sent to the applicant and to the International Bureau) a total of 5 sheets, as follows:						
	sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).						
	beyo	•		•	onsiders contain an amendment that goes indicated in item 4 of Box No. I and the		
	sequence	listing and/or tal		omputer readable fo	mber of electronic carrier(s)) , containing a orm only, as indicated in the Supplemental tive Instructions).		
4.	This report conta	ins indications re	elating to the following it	ems:			
	⊠ Box No. I	Basis of the op	inion				
	☐ Box No. II	Priority					
	☐ Box No. III	-	nent of opinion with rega	rd to novelty, inven	tive step and industrial applicability		
	☐ Box No. IV	Lack of unity of	invention	•	·		
	⊠ Box No. V		ement under Article 35(2 tations and explanations	,	velty, inventive step or industrial atement		
	☐ Box No. VI	Certain docum	ents cited				
	☑ Box No. VII	Certain defects	in the international app	lication			
	☐ Box No. VIII	Certain observa	ations on the internation	al application			
Dat	e of submission of the	e demand		Date of completion	of this report		
27.12.2005				07.03.2006			
	ne and mailing addre	ithority:	nal	Authorized Officer	soplishes Patentemp.		
	D-80298 N Tel. +49 8	9 2399 - 0 Tx: 5230	656 epmu d	Peschel, W			
	Fax: +49 8	39 2399 - 4465		Telephone No. +49	89 2399-2702		

• (

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/IB2005/000447

	Box No. I Basis of the	report				
1.	With regard to the langua filed, unless otherwise ind	the language , this report is based on the international application in the language in which it was herwise indicated under this item.				
	☐ This report is based of which is the language	on translations from the original language into the following language , e of a translation furnished for the purposes of:				
	☐ international searc	th (under Rules 12.3 and 23.1(b))				
		nternational application (under Rule 12.4)				
	•	ninary examination (under Rules 55.2 and/or 55.3)				
2.	have been furnished to the	the elements* of the international application, this report is based on <i>(replacement sheets whicl nished to the receiving Office in response to an invitation under Article 14 are referred to in this inally filed" and are not annexed to this report):</i>				
	Description, Pages					
1, 2, 5-12		as originally filed				
	3, 3d, 4	received on 02.02.2006 with letter of 02.02.2006				
	Claims, Numbers					
	4-12	as originally filed				
	1-3	received on 02.02.2006 with letter of 02.02.2006				
	Drawings, Sheets					
	1/3-3/3	as originally filed				
	□ a sequence listing an	d/or any related table(s) - see Supplemental Box Relating to Sequence Listing				
3.	. The amendments have	ve resulted in the cancellation of:				
•	☐ the description, pa					
	☐ the claims, Nos.					
	☐ the drawings, sheets/figs ☐ the sequence listing (specify):					
	•	ed to sequence listing <i>(specify)</i> :				
	•					
4.	This report has been established as if (some of) the amendments annexed to this report and listed below had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).					
	the description, p	ages				
	☐ the claims, Nos.	ata fina				
	☐ the drawings, she☐ the sequence listi					
	•	ed to sequence listing (specify):				
	* If item 4 applie	es, some or all of these sheets may be marked "superseded."				

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N) Yes: Claims

1-12

No: Claims

Inventive step (IS) Yes: Claims 1-12

No: Claims

Industrial applicability (IA) Yes: Claims 1-12

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

Box No. VII Certain defects in the international application

The following defects in the form or contents of the international application have been noted:

see separate sheet

10/591032 IAP9 Rec'd PCT/PT0 25 AUG 2006

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/IB2005/000447

Re Item V

1. Reference is made to the following documents:

D1: US 2003/056851 A1 (CONTINENTAL) 27 March 2003

D2: DE 201 13 129 U1 (THURNER, HELMUT) 19 December 2002

2. INDEPENDENT CLAIM 1

- 2.1 The document **D1** is regarded as being the closest prior art to the subject-matter of claim 1, and shows a
 - " container 3 (see in particular figs. 10-12) for sealing liquid for repairing inflatable articles, in particular, tyres, and comprising a vessel having an opening (close to neck 37), and closing means 38 to close said opening, which closing means being a membrane, which membrane, in use of the container, is intended to be perforated by a plunger of the dispenser unit when the container being screwed upon and the compressed-air feed line being activated.

The subject-matter of claim 1 differs from this known container in that

- the closing means being a valve device integrated into the container, wherein
- the valve device having an inlet connectable to a compressed-air feed line (of the dispenser unit), and an outlet for dispensing the sealing liquid;
- the valve device comprising at least one control member movable, in response to pressurization of said feed line, from a closed position closing said valve device and wherein said inlet and said outlet are closed from the inside of said container by the control member, to an open position wherein said inlet 44 and said outlet 55 communicate with the inside of said container."

The subject-matter of claim 1 is therefore new (Article 33(2) PCT).

The problem to be solved by the present invention may be regarded as to provide a reliable sealing for the container which also enables the container after partial use of its content to be screwed off and the container opening being closed again.

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

PCT/IB2005/000447

The solution to this problem proposed in claim 1 of the present application is considered as involving an inventive step (Article 33(3) PCT) since even the integration of the valve device of D1 into the container would not result in the subject-matter of claim 1, because the plunger of D1 is not able to seal the container once the membrane being perforated.

Document D2 is even more different from the solution provided by claim 1 of the present invention, since it uses only simple membranes which brake under the pressure of the feed line.

- 2.2 Claims 2 to 6 are dependent on claim 1 and as such also meet the requirements of the PCT with respect to novelty and inventive step.
- 2.3 INDEPENDENT CLAIM 7

 Claim 7 refers to a tire repair kit comprising the container of claim 1 and therefore also meets the requirements of the PCT with respect to novelty and inventive step.
- 2.4 Claims 8 to 12 are dependent on claim 7 and as such also meet the requirements of the PCT with respect to novelty and inventive step.

Re Item VI

1. Line 6 of claim 1 shall read "... housed in said opening (17),.." for language reasons.

,15

25

WO 2005/084968

PCT/IB2005/000447

* See Junended Page 33

dispenser unit comprising an inlet conduit and an outlet conduit connected respectively, by respective conduits, to the compressor and the valve of the tyre for repair.

known solution, the container is fitted permanently to the dispenser unit, which incorporates a sealing device. The container, in itself open, therefore undetachable from the dispenser unit.

A major drawback of this solution is that, after use or when the use-by date of the sealing liquid expires, both the container and the dispenser unit must be replaced, thus increasing cost.

In another known solution, the container itself is sealed, e.g. by a sealing membrane, which is split when the container is fitted to the dispenser unit. This means the container must be fitted to the dispenser unit just prior to use, which constitutes an undesible additional operation.

DISCLOSURE OF INVENTION

It is an object of the present invention to provide 20 a container for sealing liquid for repairing inflatable articles, designed to eliminate the aforementioned drawbacks typically associated with known containers.

to the present invention, According provided a container for sealing liquid for repairing inflatable articles, in particular, tyres, and comprising a vessel hawing an opening, and on-off means fitted to said opening; characterized in that said on-off means comprise a valve device having an inlet connectable to a

US-A1-2003/056851 discloses a container closed by a sealing membrane and connected to a screwed portion of a repair unit. The screwed portion houses a pneumatic cylinder having a plunger movable in response to the pressurization of a channel and a perforator end to tear the sealing membrane and open the container when the channel is pressurized. However, this known container does not provide for a reliable sealing against overpressures which may be caused by overexposure to high temperature because the membrane may easily break.

DISCLOSURE OF INVENTION

It is an object of the present invention to provide a container for sealing liquid for repairing inflatable articles, designed to eliminate the aforementioned drawbacks typically associated with known containers.

According to the present invention, there is provided a container for sealing liquid for repairing inflatable articles, in particular, tyres, according to claim 1.

20

15

10

WQ 2005/084968

10

, 15

20

25

PCT/IB2005/000447

→ EYU DE

compressed—air feed line, and an outlet for dispensing the sealing liquid; said valve device comprising at least one control member movable, in response to pressurization of said feed line, from a closed position closing said valve device and wherein said inlet and said outlet are isolated from the inside of said container, to an open position wherein said inlet and said outlet communicate

BRIEF DESCRIPTION OF THE DRAWINGS

with the inside of said container.

A preferred, non-limiting embodiment of the present invention will be described by way of example with reference to the accompanying drawings, in which:

Figure 1 shows a view in perspective of a repair kit comprising a sealing liquid container in accordance with the present invention;

Figure 2 shows a partly disassembled view in perspective of the Figure 1 kit;

Figures 3 and 4 show a rear view and underside view in perspective respectively of the Figure 1 kit partly disassembled;

Figures 5 and 6 show sections, along line V-V in Figure 2, of the container and a dispenser unit of the Figure 2 kit assembled together.

BEST MODE FOR CARRYING OUT THE INVENTION

Number 1 in Figures 1 to 4 indicates as a whole a kit for fast repair of inflatable articles, in particular, tyres.

Kit 1 substantially comprises an electric compressor

CLAIMS

- 1) A container (3) for sealing liquid for repairing inflatable articles, in particular, tyres, and comprising a vessel (15) having an opening (17) and closing means (18) to close said opening (17), characterized in that (18) comprise a valve device said closing means integrated in said container (3) and housed into said opening (17), said valve device (18) having an inlet (27c) connectable to a compressed-air feed line (4), and 10 an outlet (29a) for dispensing the sealing liquid; said valve device (18) comprising at least one control member (30) movable, in response to pressurization of said feed line (4), from a closed position closing said valve device (18) and wherein said inlet (27c) and said outlet 15 (29a) are closed from the inside of said container (3) by said control member (30), to an open position wherein said inlet (27c) and said outlet (29a) communicate with the inside of said container (3).
- 2) A container as claimed in Claim 1, characterized in that said valve device (18) comprises elastic means (31) for keeping said control member (30) stably in said closed position in the absence of pressure to said inlet (27c).
- 25 3) A container as claimed in Claim 2, characterized in that said valve device (18) comprises a body (19) housed in fluidtight manner in said opening (17) of said vessel (15) and having at least one first hole (24) and

at least one second hole (25) axially spaced apart and communicating with the inside of said container (3); said